



JUL 17 2001

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Soflex-Isralens Contact Lens Ltd.  
c/oKevin Walls, RAC  
Principal Consultant  
Regulatory Insight, Inc.  
13 Red Fox Lane  
Littleton, CO 80127

Re: K011256

Trade Name: Toric Lite (Xylofilcon A) Soft (Hydrophilic) Toric Contact Lens  
for Daily Wear

Regulation Number: 21 CFR 886.5925

Regulatory Class: Class II

Product Code: LPL

Dated: April 23, 2001

Received: April 24, 2001

Dear Mr. Walls:


We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-6413. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink, appearing to read "A. Ralph Rosenthal". The signature is fluid and cursive, with the first name "A." and last name "Rosenthal" clearly distinguishable.

A. Ralph Rosenthal, M.D.  
Director  
Division of Ophthalmic and Ear,  
Nose and Throat Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

510(k) Number (if known): K011256

Device Name: Toric Lite (Xylofilcon A) Soft (Hydrophilic) Toric Contact Lens for Daily Wear

Indications for Use: The Toric Lite (Xylofilcon A) Soft (Hydrophilic) Toric Contact Lens for Daily Wear is indicated for daily wear for correction of refractive astigmatism in aphakic and not-aphakic persons with non-diseased eyes that may exhibit refractive and/or corneal astigmatism. The lens may be disinfected using a chemical disinfection system.

PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED

Concurrence of CDRH, Office of Device Evaluation (ODE)

*Mj-chuan Shu*

(Division Sign-Off)  
Division of Ophthalmic Devices

510(k) Number K011256

*JB*  
Prescription Use X  
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_  
(Optional Format 1-2-96)